


COMMON FLAG




- Hemmed all round (double stitched)
- Flag cord sewn through headband with 2 loops
- 1 x Sister Clip at Top & Bottom

FLYING OR MARCHING FLAG




- · Pocket sewn in headband to accept 25mm dowel / pole
- Flags hemmed all round
- Flag cord & 2 x sister clips

MARCHING FLAG / BANNER



- · Pocket sewn left and right to accept 25mm dowel / pole
- Pockets closed one end, usually at top
- Hemmed all round (double stitched)

BANNER (for parades | marching)




- Pocket sewn at top and sides to accept 25mm dowel / pole
- Hemmed all round (double stitched)


HANGING	
BANNER	

- · Pocket sewn at top to accept 25mm dowel / pole
- · Open either end
- · Hemmed all round double stitched


BA	N	N	Ε	R
----	---	---	---	---




- Pocket sewn at top and bottom to accept 25mm dowel
- Open both ends
 No dowel, tips or cords
- · Hemmed all round double stitched




- Pocket sewn to suit sail track with cord, rope, balloon stick,
 6mm, at top
- Hemmed all round and double stitched




- Pocket sewn to suit sail track with cord, rope, balloon stick,
 6mm, top and bottom
- Hemmed all round and double stitched




- Pocket sewn at top to accept 25mm dowel / pole
- Gold, white or black tips (finials)
- · Hemmed all round
- Flag cord to hang



- Pocket sewn at top and bottom to accept 25mm dowel
- Bottom pocket dowel enclosed
- Gold, white or black tips (finials)
- Hemmed all round




- Pocket sewn at top and bottom to accept 25mm dowel / pole
- Gold, white or black tips (finials)
- · Hemmed all round
- Flag cord to hang




- Pocket sewn at sides to accept 25mm dowel
- Gold, white or black tips (finials)
- Hemmed all round


SCHOOLS




- Pocket sewn at top to accept 25mm dowel
- T-Bar pocket
- · Hemmed all round




- Flag cord sewn top to bottom of left edge with 2 loops
- 1 x sister clip at top
 1 x sister clip bottom
- Hemmed all round
 Average up to 2m




- Hemmed all round, except where hot knife finish to suit fabric
- Flag cord sewn top to bottom of left edge with 3 loops
- 1 x sister clip at top
 1 x snap clip middle
- 1 x sister clip bottom
 2m up to 3.5m




- Pocket sewn at top to accept 100mm dowel / pole
- Flag cord sewn top to bottom of left edge with 3 loops
- 1 x sister clip at top
 1 x snap clip middle
- 1 x sister clip bottom Hemmed all round



- Pocket sewn at top to accept 100mm dowel / pole
- Flag cord sewn top to bottom of left edge with 3 loops
- 1 x sister clip at top 3 x snap clips middle 1 x sister clip bottom
- Hemmed all round
 1m or 1.5m x 4.5m




- Flag cord sewn top to bottom of left edge with 5 loops
- 1 x sister clip at top
 3 x snap clips middle
- 1 x sister clip bottom
 Hemmed all round




Rear View Depicted

- BSS @ 45 degrees Fibreglass rod sewn in
- Flag cord sewn top to bottom of left edge with 5 loops
- 1 x sister clip at top
 3 x snap clips middle
- 1 x sister clip bottom Hemmed all round

BANNER



- Ropes sewn through top and bottom extending 2 metres from all corners standard
- Eyelets every 500mm



Velcro sewn all round

